SL

Application No. Applicant(s) ODDSEN, ODD N. 10/061,880 Notice of Allowability Art Unit Examiner Amy J. Sterling 3632 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to <u>11/17/03</u>. 2. The allowed claim(s) is/are 1-54. 3. The drawings filed on 17 November 2003 and 01 February 2002 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. A Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: ___ 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. ____. (b) including changes required by the proposed drawing correction filed ____, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. 9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1 Notice of References Cited (PTO-892) 2 Notice of Informal Patent Application (PTO-152) 3 Notice of Draftperson's Patent Drawing Review (PTO-948) 4 Interview Summary (PTO-413), Paper No. 5 Information Disclosure Statements (PTO-1449), Paper No. ____. 6⊠ Examiner's Amendment/Comment 7 Examiner's Comment Regarding Requirement for Deposit 8⊠ Examiner's Statement of Reasons for Allowance 9 Other of Biological Material

Application/Control Number: 10/061,880

Art Unit: 3632

Notice of Allowance

This is the Notice of Allowance for application number 10/061,880 Modular Mounting Arm, filed on 2/1/02. Claims 1-54 are allowed.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In claim 20, line 3, after "hollow body having" and before first and second ends," <u>an inner surface and</u> has been added.

In claim 20, line 12, after "said body" [.] has been deleted and wherein the second ends of said first and second couplings include a void, exposing a portion of said inner surface of said body. has been added.

Claim 23 has been cancelled.

In claim 24, line 1, after, "of claim" and before "," [23] has been deleted and 20 has been added.

Application/Control Number: 10/061,880

Art Unit: 3632

In claim 46, line 3, after "hollow body having" and before first and second ends," an inner surface and has been added.

In claim 46, line 12, after "said body" [.] has been deleted and ,wherein the second ends of said first and second couplings include a void, and a mass of aluminum material adhered to an inner surface of said hollow body within said void. has been added.

Claim 48 has been cancelled.

Authorization for this examiner's amendment was given in a telephone interview with Stephen Goldman on 12/4/03.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance:

The prior art of record does not show an adjustable extension arm with a first and second channel members with a first cavity therethrough and an elongated hollow member with is fixedly secured within the first cavity, also having roller units fixedly coupled to the first end of the reinforcing member. The prior art shows the first and second members slidingly fixed with respect to one another.

The prior art also does not show an adjustable extension arm with a hollow body and an inner surface, with two couplings fixedly attached to the ends of the extension

Application/Control Number: 10/061,880

Art Unit: 3632

arm wherein the coupling is attached to within the body of the extension arm and

Page 4

wherein the inner surface of the hollow body has a void which exposed the inner

surfaces of the body, which can be filled with a mass of aluminum material.

Conclusion

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Amy J. Sterling

at telephone number 703-308-3271. The examiner can normally be reached

(M-F 8 a.m.-5:00 p.m.). If attempts to reach the examiner are unsuccessful, the

examiner's supervisor, Leslie Braun can be reached at 703-308-2156. The fax machine

number for the Technology center is 703-872-9306 (formal amendments) or

703-308-3519 (informal amendments/communications).

Any inquiry of a general nature or relating to the status of this application should

be directed to the Technology Center receptionist at 703-308-2168.

AJS

Amy J. Sterling 12/4/03

ART UNIT 3553632